

D-R 290


Optical opacity / dust monitor

New generation



The new generation D-R 290

Reliable measurements for medium to high concentrations



Features

- Continuous and contactless measurement
- Extremely powerful and stable SWBD LED light source
- New SMD electronics with digital Modbus RTU interface
- Convenient operation with remote access option
- Extremely low-maintenance

Approvals


- Suitability-tested by TÜV
- Certified according to DIN EN 15267-3
- MCERTS
- Fully compliant with US EPA 40 CFR 60 PS 1 and ASTM 6216



- TÜV approved
- QAL 1 certified
- EN 15267-3 tested



Cement plant



Waste incineration plant



Power plant

Convenient operation, readings anywhere accessible

The D-R 290 has been used successfully for more than 15 years in various applications. The operation of the new generation D-R 290 is more convenient and more flexible. It is either operated

- via USB interface
- via RS-485 interface
- with the universal operating unit D-ISC 100

The software D-ESI 100 allows for remote access via web interface. All settings can be changed without opening the device.

Universal operating unit D-ISC 100

The universal operating unit D-ISC 100 allows the connection of several DURAG measuring systems. Dust and volume flow measurements can be combined.

- Operation either via the built-in panel or remote
- Modular design, many expansion options available

Options

- Weather protection covers
- Automatic fail-safe shutters to protect the device in the event of a purge air failure
- Explosion proof design

Applications

Continuous emission monitoring e.g.

- on incineration plants
- on waste incineration plants
- on power plants
- on cement plants
- in the metal industry
- on plants according to 2001/80/EC LCPD
- on plants according to IED 2010/75/EU

Opacity measurements in flue gas e.g.

- on cruise and container ships
- on plants in accordance with US EPA 40 CFR 60 PS1



System components

- measuring head
- reflector
- mounting flanges
- universal operating unit D-ISC 100
- purge air unit

©DURAG GROUP

Technical data

measurements	extinction, transmission, opacity, dust concentration
measuring ranges	extinction: 0...2.0 opacity: 0...100 % dust: 0...80 mg/m ³ ... 0... 5000 mg/m ³
sample gas temperature	Above dew point up to 250 °C, optional up to 1000 °C
inner duct pressure	-50...+20 hPa, optional higher
duct diameter	1...18 m
ambient temperature	-40...+60 °C



Refinery



Steel industry



Marine

smart solutions for combustion and environment



DURAG Sales and Marketing GmbH & Co. KG
Kollastraße 105
22453 Hamburg, Germany
Tel. +49 40 55 42 18-0
Fax +49 40 58 41 54
E-Mail: info@durag.de

DURAG Niederlassung Nord
Kollastraße 105
22453 Hamburg, Germany
Tel. +49 40 55 42 18-0
Fax +49 40 58 41 54
E-Mail: durag-nord@durag.de

DURAG Niederlassung West
An der Pönt 53a
40885 Ratingen, Germany
Tel. +49 2102 74 00-0
Fax +49 2102 74 00 28
E-Mail: durag-west@durag.de

DURAG Niederlassung Süd
Weidenweg 16
73087 Bad Boll, Germany
Tel. +49 7164 912 25-0
Fax +49 7164 912 25-50
E-Mail: durag-sued@durag.de

DURAG Niederlassung Ost
Halsbrücker Straße 34
09599 Freiberg, Germany
Tel. +49 3731 30 04-0
Fax +49 3731 30 04-22
E-Mail: durag-ost@durag.de

DURAG

DURAG GmbH
Kollastraße 105
22453 Hamburg, Germany
Tel. +49 40 55 42 18-0
Fax +49 40 58 41 54
E-Mail: info@durag.de



DURAG data systems GmbH
Kollastraße 105,
22453 Hamburg, Germany
Tel. +49 40 55 42 18-3000
Fax +49 40 55 42 18-3099
E-Mail: info@durag-data.de



A Brand of DURAG data systems GmbH
Branch Office Austria
Gürtelstraße 28/1
A-4020 Linz, Austria
Tel. +43 732 60 99 60-0
Fax +43 732 60 99 60-4
E-Mail: office@utas.at



A Brand of DURAG GmbH
Kollastraße 105
22453 Hamburg, Germany
Tel. +49 40 55 42 18-0
Fax +49 40 58 41 54
E-Mail: info@durag-process.de



DURAG Siena do Brasil Ltda
Rua Vinte e Dois de Agosto, 66
Diadema - SP
09941-530 Brazil
Tel. +55 11 4071-5050 r.28
Fax +55 11 4077-1718
E-Mail: info@duragsiena.com.br



Hegwein GmbH
Am Boschwerk 7
70469 Stuttgart
Germany
Tel. +49 711 135 788-0
Fax +49 711 135 788-5
E-Mail: info@hegwein.de



SMITSVONK Holland B.V.
P.O. Box 180, 2700 AD Zoetermeer
Goudstraat 6, 2718 RC Zoetermeer
Netherlands
Tel. +31 79 361 35 33
Fax +31 79 361 13 78
E-Mail: sales@smitsvonk.nl



A Brand of DURAG GmbH
Kollastraße 105
22453 Hamburg, Germany
Tel. +49 40 55 42 18-0
Fax +49 40 58 41 54
E-Mail: verewa@durag.de

DURAG Brazil
DURAG Siena do Brasil Ltda
Rua Vinte e Dois de Agosto, 66
Diadema - SP
09941-530 Brazil
Tel. +55 11 4071-5050 r.28
Fax +55 11 4077-1718
E-Mail: info@duragsiena.com.br

DURAG France S.a.r.l.
Parc GIP Charles de Gaulle
49, rue Léonard de Vinci, BP 70166
95691 Goussainville CEDEX,
France
Tel. +33 1 301 811 80
Fax +33 1 393 383 60
E-Mail: info@durag-france.fr

DURAG, Inc., USA
1355 Mendota Heights Road
Suite 200
Mendota Heights
MN 55120, USA
Tel. +1 651 451-1710
Fax +1 651 457-7684
E-Mail: durag@durag.com

DURAG India Instrumentation Private Limited
#27/30, 2nd Main Road
Industrial Town, Rajajinagar
Bengaluru 560 044, India
Tel. +91 80 2314 5626 / 4215 1191
Fax +91 80 2314 5627
E-Mail: info@duragindia.com

DURAG Instrumentation (Shanghai) Co., Ltd.
Room 706, Dibao Plaza, No. 3998
Hongxin Rd., Minhang District,
Shanghai, 201103 PR China
Tel. +86 21 60732979-206
Fax +86 21 60732980
E-Mail: info@durag-cn.com

DURAG Italia S.r.l.
Via Carlo Panseri, 118
CIM uffici, P. secondo
28100 Novara
Italy
Tel. +39 0321 679569
Fax +39 0321 474165
E-Mail: info@durag.it

DURAG Japan Office
c/o TMS Planning Inc.
291-2 Umena, Mishima-shi,
Shizuoka-ken,
411-0816 Japan
Tel. +81 55 977 3994
Fax +81 55 977 3994
E-Mail: info@durag.jp

DURAG Korea Office
RM #1131, Manhattan Building,
36-2, Yeouido-Dong,
Yeongdeungpo-Gu, Seoul,
Korea
Tel. +82 2 761 8970
Fax +82 2 761 8971
E-Mail: info@durag-group.co.kr

DURAG RUSS OOO
Andropova avenue 18/6,
Office 5-09
115432 Moscow
Russia
Tel. +7 499 4180090
Fax +7 499 4180091
E-Mail: info@durag-group.ru

DURAG UK GmbH
Lullington House, Ashby Road
Burton-on-Trent, Staffordshire,
E15 0YZ
Great Britain
Tel. +44 1283 553 481
Fax +44 1785 760 014
E-Mail: durag.uk@durag.de

www.durag.de

Credits fotolia.de: (1) IndustryAndTravel - Credits shutterstock.com: (2) VanderWolf Images, (3) Bensliman Hassan, (4) Jean Schweitzer, (5) Spectral-Design, (6) Zhu Difeng, (7) Jordi C